



**GOVERNMENT OF MAHARASHTRA
WATER RESOURCES DEPARTMENT**

HYDROLOGY PROJECT (SW)



ANNUAL REPORT

**WATER QUALITY LABORATORY LEVEL-II PUNE
YEAR 2015**

**SUPERINTENDING ENGINEER
DATA COLLECTION, PLANNING & HYDROLOGY CIRCLE,
NASHIK**

**EXECUTIVE ENGINEER,
HYDROLOGY PROJECT DIVISION, PUNE-1**

PREFACE

Environmental Hydrology in practice primarily restricted to Water Quality Hydrology .A combination of geomorphic ,geologic and soil properties, governs the movement of water from the time it falls on the land surface to till it leaves the surface.

With two third of earth surface covered by water and human body consisting 75% of it. It is evidently clear that water is one of the prime elements responsible for life on earth. Water circulates through land just as it does through human body, transporting, dissolving, replenishing, nutrients and organic matter, while carrying away waste material.

Human activities in one place are cause of water quality and ecological disturbances elsewhere. Forest degradation is one of the major consequences of long range atmospheric transport and air pollution which also poses an increasing threat to the surface and ground water resources. Pesticides are also becoming widely dispersed within environment and owing to their environmental abilities and persistence over long periods of time are found in eco system either accidently through spray drift agricultural runoff.

This report includes water quality data about Rivers Krishna, Bhima and its Tributaries in Maharashtra for the period of June 2014 to May 2015 analyzed by the agency M/s.Papilon Enviro Engineers Pvt. Ltd., Aurangabad and reviewed by Water Resources Department. The contract towards Operation and Maintenance of Water Quality Lab Level-II, Pune for the said period is awarded to above agency. The data has been interpreted to know the affected locations.

Therefore it is a great pleasure to handing over this precise report on analysis of water samples analyzed at WQ Laboratory Level – II at Pune which is under Hydrology Project Sub-Division, Pune.

This Annual Report attempts to briefly describe an overview and general conclusion based on the basis of water quality data of water samples collected from selected locations for predefined frequencies for the reported period. This report also provides an idea in brief about Water Quality Lab. Level - II at Pune. Our efforts can always be updated through valuable suggestions.

Sub-Divisional Officer
Hydrology Project Sub-Division
Pune-06

Executive Engineer
Hydrology Project Division
Pune-01

**Annual Report on
Water Quality Monitoring through Water Quality Lab Level-II, Pune for the
Year 2014- 2015**

I N D E X

Chapter	Particulars	Page No.
I	Executive Summary	1-5
II	Introduction	6-12
III	Methodology	13-18
IV	Result & Observation	19-40
V	Conclusion	41
VI	Other Activities	42
VII	Annexure	43-49

Chapter I
EXECUTIVE SUMMARY

CHAPTER-1

EXECUTIVE SUMMERY

Annual Report on Water Quality Monitoring through Water Quality Lab Level-II, Pune

1.1 Preamble:

Fresh water on the earth is received through hydrological cycle. This water is quite pure, but coming down from atmosphere and flowing along the earth surface as run- off, it gathers impurities and gets polluted. The substances thus entered into the water may be either dissolved or suspended forms which alter the water quality.

The term “water quality” is widely used expression, which has an extremely broad spectrum of meanings. From the user’s point of view, the term “water quality” is defined as “those physical, chemical or biological characteristics of water by which the user evaluates the acceptability of water”.

1.2 Water Quality Monitoring –

The main objectives of Hydrology Project for water quality monitoring in Krishna and Bhima Basin are -

- 1) Establish Trend stations.
- 2) Observe the trend in water quality over a period of time.
- 3) To create public awareness as regards to water pollution and its prevention.
- 4) Surveillance over pollution through water testing.

Observations of analysis of physical & chemical parameters as per “Uniform Protocol for Water Quality Monitoring Order 2005” for each location followed by Operation and Maintenance of Water Quality Laboratory Level-II, Pune as per Standard Guidelines and mandates including collection, transportation and analysis of samples, data entry in SWDES Software and preparation of the Annual Report as per specific guidelines issued by Superintending Engineer, Data Collection, Planning & Hydrology Circle, Nashik.

1.3 Water Quality Monitoring - Scope

The Annual Report is prepared for the year 2014-15. The Table below shows the number of sample analyzed during the reported period. In order to study water quality status station wise, all locations covered under this lab during the year are considered.

TABLE SHOWING SAMPLES ANALYSED DURING THE REPORTING PERIOD

Sr. No.	Year	Trend Sample (First Round)	Trend Sample (Balance Round)	Dam Sample (First Round)	Dam Sample (Balance Round)	Total
1	2014-15	5	52	4	44	105
Total Samples analyzed during reporting period						105

Seasonal averages of all analyzed parameters are calculated for study of seasonal water quality trend at each location.

1.4 Methodology:

Analysis of Physical and Chemical parameters is done in the laboratory on the basis of Standard Analytical Methods, Instrument Operating Instructions, HIS Manuals, and APHA, 21st Ed., 2005.

Data analyzed, further validated with prescribed method as per Water Quality Manuals to verify various Ratios manually and is entered in SWDES Software for Water Quality Data Entry. Further the data is sent to Hydro meteorological Data Processing Division, Nashik for further dissemination to user end.

Furthermore to get an idea about data generated for the period, it is decided and instructed to analyze the generated data for the said period in the form of Annual report with the help of various tools in SWDES Software to find out critical parameters and critical locations in the jurisdiction of this Lab.

1.5 Result and Observation:

After observing all this data it is clear that most of the physical parameters are within tolerance limit.

Most of the chemical parameters are also within tolerance limits, except following parameters.

- i) DO
- ii) BOD
- iii) COD

Bacteriological parameter like Total Coli form is also exceeding the limits.

From the observations at Khamgaon, Daund and Ujjani location, almost all parameters are crossing the desired limit which indicates that at the upstream of this location there are a considerable source of pollution.

1.6 Conclusion

Observing all the factors it can be concluded that, analyzed results from some locations have shown increase in value of Biological Oxygen Demand and Total Coli form. The value of Biological Oxygen Demand is very high, even exceeding beyond desired limit is due to the presence of organic matter, which also reduces oxygen content in the water. Water having excess Biological Oxygen Demand is not fit for human activities or consumption.

Bacteriological parameter in all locations contain higher bacterial count is due to the discharge of sewage, drainage waste in to the water sources. Even increase in human activities discharge bacteria of various type in to the water, which increase the number of count in the water.

It is observed with reference to Wilcox diagram generated through SWDES software for the data of said period; mostly all of the locations belong to Class C₁ and S₁. This indicates that the water flowing along these locations is mostly suitable for irrigation purpose with most crop with most soil . For drinking purpose, it should be treated before use.

But with respect to parameters, locations like Khamgaon, Daund and Ujjani are critical for certain parameters like Biological Oxygen Demand, Chemical Oxygen Demand and Total Coli forms. In the point of consideration for above location water is not suitable for irrigation and Drinking purpose.

1.7 Recommendations/Remedial Measures:

Water is one of our most important resources and although people act like there's an endless supply of it, the truth is that clean water is becoming scarce because of water pollution and over consumption. You can prevent water pollution of nearby rivers and lakes as well as groundwater and drinking water by following some simple guidelines in your everyday life.

Tips for Conserving Water Indoors

1. Verify your home is leak free. Repair dripping taps by replacing washers.
2. Avoid flushing the toilet unnecessarily. Use water efficient flushes, plumbing fixtures having sensors, low flow faucet aerators which require minimum water.
3. Turn off water while brushing teeth.
4. For shaving, use mug rather than using running water.
5. Close faucets while soaping and rinsing clothes.
6. Keep overflow valve in the over head tanks so as not to waste water.
7. Use waste water of cloth cleaning to clean the floor.
8. Use waste water in flush.
9. Don't use running water for releasing ice from tray.
10. Don't use extra detergent in washing clothes.
11. Don't use running water while hand-washing clothes.
12. Operate automatic washing machine when it is fully loaded.
13. Don't use shower/big bath tubs in bathrooms.
14. While going outdoor, turn off the main valve for water.
15. Develop habit of monitoring water meters.

Tips for Conserving Water Outdoors.

1. Minimize grass lawns in your yard because less grass means water demand.
2. Don't over-water your lawns. A good rain eliminates the need watering for more than a week.
3. Water the lawns during early morning hours when temperature and wind speeds are the lowest. This reduces losses from evaporation.
4. Try to use waste of dish washing/cloth cleaning for gardening and cleaning the floor.
5. Check leaks in hose, pipes etc.
6. Use sprinkler/drip irrigation systems.
7. Don't allow water to flow into gutter.
8. Don't wash floors with a hose. Use a broom.
9. Avoid over fertilizing your lawn. The application of excess fertilizer increases the need of water.

1.8 Suggestions:

- Bring awareness among people. So people must be against of dumping wastes and sewage in to fresh water. They must force the government to go for an alternate way like treating the sewage before dumping. And people who dump wastes must be penalized. It is the public awareness that brings a change.
- Reduce, Refuse, Reuse, and Recycle Materials whenever possible
- Water quality Annual Report shall be publicly published every year.
- Take care of the Earth and she will take care of you.

Chapter II
INTRODUCTION

CHAPTER-2

INTRODUCTION

2.1 General:

"Water" is a prime natural resource and is considered as a precious national asset. It is a major constituent of all living beings. Water is available in two basic forms i.e. Surface water and Ground water. Water is used for various purposes ranging from domestic, agricultural, industrial & allied purposes. Water is an essential for human life and the presence of reliable source of water is vital factor for the establishment of a community. Apart from its life supporting ability, water also has a potential for spreading ill health and diseases. Thus availability and importance of safe drinking water was realized and practiced thousands of years ago by man. At any point, water quality of a lotic system is intimately associated with the entire water quality of river basin. Hence, water quality monitoring becomes a fundamental tool for river basin planning and management. The effective monitoring and management of water quality to safeguard the precious natural reverie system is a challenge for the scientific and engineering communities alike. In recent years agencies involved in water quality management have expressed their concern about the problem of representative water quality monitoring network with a view to design and optimize water quality monitoring network.

2.2 Water Quality Network Layout

Water Quality of Rivers Krishna, Bhima and its tributaries is being monitored by Central Water Commission, Water Resources Division of Maharashtra and Andhra Pradesh and the Central Pollution Control Board through the respective State Pollution Control Boards.

The water quality monitoring of River Bhima and its tributaries is being carried out by Hydrology Project sub-division Pune under Hydrology Project Division.

In Bhima Basin Water Quality is monitored by Hydrology Project Division Pune at 12 stations on various rivers flowing through Western Maharashtra. Also the water quality of 4 reservoirs, which are used as a source of drinking water, is also being monitored by this division. The stations are classified as baseline, trend and flux stations based on the frequency of sampling and location of stations. Details of location, station types and rivers under Hydrology Project, Pune are given in Table 1 (Page No-12).

Out of 15 Water Quality stations on tributaries of Bhima, 11 are trend stations and 4 are of Dam Location. Fig 1 (page no. 46) shows Network of Water Quality Monitoring stations of various types in the jurisdiction of water quality lab level-II under Hydrology Project sub-division, Pune.

2.2 Water Quality Monitoring - Objectives

The main objectives of Hydrology Project for water quality monitoring in Krishna and Bhima Basin are -

- 1) Establish Trend stations.
- 2) Observe the trend in water quality over a period of time.
- 3) To create public awareness as regards to water pollution and its prevention.
- 4) Surveillance over pollution through water testing.

Observations of analysis of physical & chemical parameters as per "Uniform Protocol for Water Quality Monitoring 2001" for each location followed by Operation and Maintenance of Water Quality Laboratory Level-II, Pune as per Standard Guidelines and mandates including collection, transportation and analysis of samples, data entry in SWDES Software and preparation of the said Annual Report as per specific guidelines issued by Superintending Engineer, Data Collection, Planning, Hydrology Circle, Nashik.

2.3 Water Quality Monitoring - Scope

The Annual Report is prepared for the year 2012-13. The Table below shows the number of sample analyzed during the reported period. In order to

study water quality status station wise, all locations covered under this lab during the year 2012-13 are considered.

Seasonal averages of all analyzed parameters are calculated for study of seasonal water quality trend at each location.

Sr. No.	Year	Trend Sample (First Round)	Trend Sample (Balance Round)	Dam Sample (First Round)	Dam Sample (Balance Round)	Total
1	2014-15	5	52	4	44	105
Total Samples analyzed during reporting period						105

2.4 Other activities

During the year 2014-15 many clients approached the laboratory. The clients availed the facility of the laboratory are as below;

- 1) Central Water Commission Upper Krishna Division Khadakwasla.
- 2) Assistant Garrison Engineer Office Pune.
- 3) Gharpure Engineers & Constructions Pvt. Ltd. , Pune.
- 4) Technogreen Environmental Solutions, Pune.
- 5) Jai Maa Associates, Pune
- 6) Ujjani Dam Mgmt. Division , Bhimanagar.

REVENUE GENERATED DURING THE REPORTING PERIOD

Sr. No.	Year	Amount Received
1.	2014-2015	2,55,245

2.5 Extended Scope of Laboratory

Under Hydrology Project(SW) Maharashtra Water Quality Monitoring is being carried out with prescribed W.Q. Network with 6 Level-II and 38 Level-I Labs followed by 170 sampling locations spread all over the State.

Second surveillance audit of ISO 9001:2008 was successfully completed in 17 October 2014, lab has been continued certification for next 1 years i.e. Up to February 2016.

Visits: Many visitors from various sectors visited the lab and appreciated the efforts taken by this lab.

The infrastructure facility is also made available to all institutional organization for visit and study purposes and the generated data of Water Quality is also made available to the users who are HDUG member of Hydrology Project.

SALIENT FEATURES OF LABORATORY:

Latitude	:	N-18° 33' 30"
Longitude	:	E- 73° 53' 42"
Rivers	:	1. Ghod 2. Pavana 3. Indrayani 4. Mutha 5. Nira 6. Ambi 7. Sina 8. Mula 9. Bhima 10. Mula-Mutha
Year of Establishment	:	September 1999
No. of Flux Sample locations	:	0 Nos.
No. of Baseline Sample locations	:	0 Nos.
No. of Trend Sample Locations	:	11 Nos.
No. of Reservoir Locations	:	4 Nos.
No. of Parameters Analyzed	:	31 Nos.
Staff Position	:	Work of Operation & Maintenance of Lab. on annual contract basis.
Government staff related to the laboratory	:	1. Shri. S. D. Raval Executive Engineer 2. Shri. A.D. Gumaste Sub Divisional Engineer 3. Mrs. S.K. Kasar Govt. Analyst
Lab. Operating Agency	:	M/S Papilon Enviro Engg Pvt. Ltd.
Staff working in the laboratory	:	1. Sheetal Kale Chief Chemist 2. Rahul Nagawade Field Chemist 3. Manisha Kalekar Chemist 4. Sangeeta Arlimar Chemist 5. Gautam Dhone Lab Attendant

**DATA COLLECTION, PLANNING and HYDROLOGY CIRCLE
NASHIK**

WATER QUALITY LAB, LEVEL – II PUNE

ORGANISATION CHART

**SUPERINTENDING ENGINEER,
DATA COLLECTION, PLANNING AND HYDROLOGY CIRCLE,
NASHIK**

**EXECUTIVE ENGINEER,
HYDROLOGY PROJECT DIVISION, PUNE**

**SUB-DIVISIONAL ENGINEER,
HYDROLOGY PROJECT SUBDIVISION. PUNE / MR**

GOVT. ANALYST / ASST.MR

OPERATING AGENCY

CHIEF CHEMIST

ASSISTANT CHEMIST

Table - 1

List of sampling locations under jurisdiction of Water Quality lab level II -@

Pune 2014-2015

SR. NO.	NAME OF STATION	DISTRICT	TAHASIL	NAME OF RIVER
Trend Station				
1	Ambegaon	Pune	Junner	Ghod
2.	Ambeghar	Pune	Bhor	Nira
3.	Chaskaman	Pune	Rajgurunagar	Bhima
4.	Daund	Pune	Daund	Bhima
5.	Kasti	Ahmadnagar	Shrigonda	Ghod
6.	Khamgaon	Pune	Daund	Mula-Mutha
7.	Narsinhpur	Pune	Indapur	Bhima
8.	Nimgaon-Gangurde	Ahmadnagar	Karjat	Sina
9.	Paud	Pune	Mulshi	Mula
10.	Rakshewadi	Pune	Shirur	Bhima
11.	Sarati	Solapur	Malshirus	Nira
Reservoirs				
12.	Khadakwasla Dam	Pune	Haveli	Mutha
13.	Panshet Dam	Pune	Maval	Ambi
14.	Pavana Dam	Pune	Maval	Pavana
15.	Ujjani Dam	Pune	Indapur	Bhima

Chapter III
METHODOLOGY

CHAPTER–3

METHODOLOGY

3.1 General:

This laboratory covers Surface Water component which covers Rivers and Reservoir Locations in Krishna and Bhima basins in Maharashtra.

3.2 Rivers

Krishna river rises at Mahabaleswar near the Jor village in the extreme north of Wai taluka, district satara, Maharashtra in the west and meets the Bay of Bengal at Hamasaladeevi (near Avanigadda) in Andhra Pradesh, on the east coast. It also flows through the state of Karnataka. The delta of this river is one of the most fertile regions in India and was the home to ancient Satavahana. Vijayawada is the largest city on the River Krishna. Sangli is the largest city on the river Krishna in Maharashtra state.

3.3 Water Quality Monitoring - Objectives

Observations of analysis of physical and chemical parameters as per “Uniform Protocol for Water Quality Monitoring 2001” for each location followed by Operation and Maintenance of Water Quality Laboratory Level-II, Pune as per Standard Guidelines and mandates including collection, transportation and analysis of samples, data entry in SWDES Software and preparation of the said Annual Report as per specific guidelines issued by Superintending Engineer, Data Collection, Planning and Hydrology Circle, Nashik.

3.3 Methodology:

Analysis of Physical and Chemical parameters is done in the laboratory on the basis of Standard Analytical Methods, Instrument Operating Instructions, HIS Manuals and APHA, 21st Ed., 2005.

Data analyzed further validated with prescribed method as per Water Quality Manuals to verify various Ratios manually and is entered in SWDES Software for Water Quality Data Entry. Further the data is sent to State Data Center for further dissemination to user end.

Furthermore to get an idea of about data generated for the period it is decided and instructed to analyze the generated data for the said period in the form of Annual report with the help of various tools in SWDES Software to find out critical parameters and critical locations in the jurisdiction of this Lab.

The Table below shows the number of sample analyzed during the year 2014-15. In order to study water quality status station wise, all locations covered under this lab during the year 2014-2015 are considered.

TABLE SHOWING SAMPLES ANALYSED DURING THE REPORTING PERIOD

Sr. No.	Year	Trend Sample (First Round)	Trend Sample (Balance Round)	Dam Sample (First Round)	Dam Sample (Balance Round)	Total
1	2014-15	5	52	4	44	105
Total Samples analyzed during reporting period						105

3.4 Flow Chart

The work of analysis of sample is being monitored on the basis of flow chart generated in the lab as per standard guidelines and analysis of sample is performed as per guidelines of world bank with HIS manuals and APHA, 21st Ed., 2005 as a standard procedures for analysis of samples.

As well refers HP Manuals for analysis of various samples received from users for various purposed like Domestic use, Drinking, Irrigation etc.

FLOW CHART OF ANALYSIS OF HP WATER SAMPLE

Sample Collection from Water Quality Stations.

Treatment: D.O. Fixing, Preservation of sample for required parameters, Colour, Odour, Temp, pH, EC, tested on field, and fill up ID form.

At Laboratory: Inward the Sample, Giving the Sr. No. to the sample noted into sample entry register

Tests are carried out in lab as per Protocols. These tests are: Microbiological test, Chlorophyll-a, pH, D.O., B.O.D, Ammonia, Nitrate, TDS, TSS, C.O.D., Turbidity, Alkalinity, Chloride, Boron, Sodium, Total Hardness, Phosphorous, etc.

Observations & calculations of all Analyzed Parameters are entered in the calculation sheet.

The results of parameters are checked & validated

After Validation Check, all the data is entered in to Data Record and Validation Register

This data is finally entered into SWEDS Software

Data sent to Executive Engineer Hydro metrological Data Processing Division, Nashik for further action

Methodology For the analysis of Water Quality samples the following parameters were analyzed during the Period 2014 – 2015

Table showing List of parameters and the methodology used for the analysis.

Sr. No	Parameters	Methodology
1.	Colour	APHA, 21 st Ed., 2005, 2120-B, 2-2
2.	Odour	HP WQ Analysis Operating Manual,4-64
3.	Temperature	APHA, 21 st Ed., 2005, 2550-B, 2-61
4.	pH	APHA, 21 st Ed., 2005, 4500-H ⁺ - B, 4-90
5.	Electric Conductivity	APHA, 21 st Ed., 2005, 2510- B, 2-47
6.	Dissolved Oxygen	APHA, 21 st Ed., 2005, 4500-O C,4-138
7.	Turbidity	APHA, 21 st Ed., 2005, 2130-B, 2-9
8.	Total Solids	APHA, 21 st Ed., 2005, 2540 B,2-56
9.	Dissolved Solids	APHA, 21 st Ed., 2005, 2540 C,2-57
10.	Suspended Solids	APHA, 21 st Ed., 2005, 2540 D,2-58
11.	NH ₃ -N	APHA, 21 st Ed., 2005, 4500-NH ₃ F, 4-110
12.	NO ₂ ⁻	APHA, 21 st Ed., 2005, 4500-NO ₂ -B, 4-118
13.	NO ₃ ⁻	APHA,21 st Ed., 2005, 4500-NO ₃ , B -4 -120
14.	Total Phosphorous	APHA, 21 st Ed., 2005, 4500 P, E, 4-153
15.	Biochemical Oxygen Demand	HP WQ Analysis Operating Manual,4-10

16.	Chemical Oxygen Demand	APHA, 21 st Ed., 2005, 5220-B, 5-15
17.	Potassium K ⁺	APHA, 21 st Ed., 2005, 3500- K, 3-88
18.	Sodium Na ⁺	APHA, 21 st Ed., 2005, 3500- Na, 3-98
19.	Calcium Ca ⁺⁺	APHA, 21 st Ed., 2005, 3500-B, 3-65
20.	Magnesium Mg ⁺⁺	APHA, 21 st Ed., 2005, 3500-Mg, B, 3-84
21.	Total Hardness	APHA, 21 st Ed., 2005, 3111-B, 3-17
22.	Carbonate CO ₃	APHA, 21 st Ed., 2005, 2320-B, 2-27, 5 -1 & 4500-CO ₂ -D, 4-34
23.	Bi-Carbonate H CO ₃	APHA, 21 st Ed., 2005, 2320-B, 2-27, 5 -3 & 4500-CO ₂ -D, 4-34
24.	Chloride Cl	APHA, 21 st Ed., 2005, 4500-Cl, B, 4-70
25.	Fluoride F	APHA, 21 st Ed., 2005, 4500-F-, D, 4-85
26.	Boron B	APHA, 21 st Ed., 2005, 4500-B-C, 4-23
27.	Total Coliforms	APHA, 21 st Ed., 2005, 9221-B, 9-49
28.	Faecal Coliforms	APHA, 21 st Ed., 2005, 9221-E, 9-56
29.	Alkalinity	APHA, 21 st Ed., 2005, 2320, 2-27
30.	Total Kjeldahl Nitrogen	APHA, 21 st Ed., 2005, 4500 N Org B,4-131
31.	Chlorophyll	APHA, 21 st Ed., 2005, 10200 H,10-18
32.	Iron	APHA, 21 st Ed., 2005, 3500- Fe, B, 3-77

**Annual Report on
Water Quality Monitoring through Water Quality Lab Level-II, Pune
for the Year 2014- 2015**

TABLE SHOWING SAMPLES ANALYSED DURING THE REPORTING PERIOD

Sr. No.	Year	Trend Sample (First Round)	Trend Sample (Balance Round)	Dam Sample (First Round)	Dam Sample (Balance Round)	Total
1	2014-15	5	52	4	44	105
Total Samples analyzed during reporting period						105

Chapter IV
RESULT & OBSERVATIONS

CHAPTER-4

RESULTS AND OBSERVATIONS

4.1 General

Water quality monitoring and management is an issue that requires a serious thought, concern and financial assistance to preserve our costly, shimmering, life saving liquid from pollution. Apart from this, intellectual community should play an active role to update institutional capacities by providing strong and economically feasible means of solutions and recommendations to reform the water related issues.

In the present data yearbook, the assessment of physicochemical and bacteriological water quality of various rivers for different seasons shows a varying level of pollution in the water bodies. The water quality of various rivers monitored does not maintain the sanctity and are polluted to varying extent. The increasing urbanization and industrialization in the area is affecting the quality of the water to a great extent. The physicochemical as well as bacteriological water quality of these riverine systems is not satisfactory and this can further deteriorate in the nearby future.

The presence of coliform bacteria in higher concentration in water especially during rainy season indicates the lack of sanitation facilities in the region. The BOD and COD loading in the water body is an evidence of the anthropogenic activities in the catchments of the rivers, which is adversely influencing the water quality. The habit of open defecation is a common site on the bank of rivers that consequently floods into the river causing deterioration of the quality of the water. The increased human activities can cause to an increase in pollution load to the river system. This in turn may lead to the further deterioration of the quality of water.

The human influence, apart from affecting the water quality, can accelerate eutrophication of the reservoirs which would be cultural or artificial eutrophication rather than the natural. Following the current trend, the reservoir may go to the entropic status in nearby future.

The water quality monitoring in the area of surface water is performed in order to determine the quality of water. Various parameters are analyzed in the laboratory and 6 parameters are tested at field level. All these tasks are recorded and utilized for preparing the Annual Report by performing some specific exercise. This data is considered in order to specify the quality of water at each location. This also helps to determine the pollution level or concentration in each source of water at each station.

4.2 Water Quality status- Stations wise Exercise

In order to study water quality status station wise, all locations covered under this lab during the year 2014-2015 are considered. Seasonal averages of all analyzed parameters are calculated for study of seasonal water quality trend at each location.

4.3 Objectives:

Observations of all physical and chemical parameters analyzed for each location individually and interpretation of data to identify seasonal trend. Also critical parameters are identified at every location, including finding out causes behind it at every location and every parameter.

4.4 Critical parameters Identified:

After observing all this data it is clear that most of the physical parameters are within tolerance limit except at few locations, like Daund, and Khamgaon, etc.


At some stations most of the chemical parameters are also within tolerance limits, except following parameters.

- i) DO ii) BOD iii) COD

Bacteriological parameter like Total Coliform is also exceeding the limits.


Classification of location on the basis of Wilcox technique for the use of water for irrigation purpose

Wilcox Diagram




Wilcox diagram for Ambegaon

Wilcox Diagram




Wilcox diagram for Chaskaman

Wilcox Diagram




Wilcox diagram for Khamgaon

Wilcox Diagram




Wilcox diagram for Narsinhpur

Wilcox Diagram




Wilcox diagram for Sarati

Wilcox Diagram




Wilcox diagram for Kashti

Wilcox Diagram




Wilcox diagram for Rakshewadi

Wilcox Diagram




Wilcox diagram for Daund

Wilcox Diagram




Wilcox diagram for Khadkwasala Dam

Wilcox Diagram




Wilcox diagram for Panshet Dam

Wilcox Diagram




Wilcox diagram for Pavana Dam

Wilcox Diagram



Wilcox diagram for Ambeghar

Wilcox Diagram



Wilcox diagram for Ujjani Dam

**Classification of location on the basis of Wilcox technique for the use of
water for irrigation purpose**


I. Trend Stations

Sr. No.	Name of Location	Year	Class as per Wilcox technique	Recommendation
Bhima River				
1	Daund	2014-2015	S1 & C3	Water can be used for salt tolerant plant.
2	Narsinhpur	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
3	Rakshewadi	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
4	Chaskaman	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
Nira River				
1	Ambeghar	2014-2015	S1 & C1	Water is suitable for Irrigation purpose for most crops with most soil.
2	Sarati	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
Ghod River				
1	Ambegaon	2014-2015	S1 & C1	Water is suitable for Irrigation purpose for most crops with most soil.
2	Kashti	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
Sina River				
1	Nimgaon	2014-2015	-	Data not available.
Mula- Mutha River				
1	Khamgaon	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.
Mula River				
1	Paud	2014-2015	-	Data not available.
II. Dam Locations				
1	Khadkwasala	2014-2015	S1 & C1	Water is suitable for Irrigation purpose for most crops with most soil.
2	Panshet	2014-2015	S1 & C1	Water is suitable for Irrigation purpose for most crops with most soil.
3	Pavana	2014-2015	S1 & C1	Water is suitable for Irrigation purpose for most crops with most soil.
4	Ujjani	2014-2015	S1 & C2	Water is suitable for Irrigation purpose.

Sr. No.	River	Year	Observations
1	Bhima	2014-2015	Along Bhima River there are 4 locations. Above (ref. table) classification shows that out of 4 locations, 3 locations namely Narsinhpur, Rakshewadi & Chaskaman water is suitable for Irrigation purpose. At Daund, water can be used for Salt tolerant plants.
2	Nira	2014-2015	Along Nira River there are 2 Locations. Above (ref. Table) classification shows that at 1 location i.e. Ambeghar, water is suitable for Irrigation with most crops on most soil, and at Sarati, Water is suitable for Irrigation purpose.
3	Ghod	2014-2015	Along Ghod River there are 2 Locations. Above (ref. table) classification shows that at both locations i.e. Ambegaon water is suitable for Irrigation purpose for most crops with most soil, and at Kashti, Water is suitable for Irrigation purpose.
4	Sina	2014-2015	Along Sina River there is 1 Location. Above (ref. table) classification shows that at Nimgaon Gangurde data is not available.
5	Mula-Mutha	2014-2015	Along Mula-Mutha River there is 1 Location. Above (ref. table) classification shows that at Khamgaon water is suitable for irrigation purpose without any treatment.
6	Mula	2014-2015	Along Mula River there is 1 Location. Above (ref. table) classification shows that at Paud data is not available.
7	Dam Locations	2014-2015	4 location falls under dam category. Above (ref. table) classification shows that out of 4 locations, at Ujjani dam water is suitable for irrigation purpose. At Khadakwasla dam, Panshet dam, & Pavana dam water is suitable for Irrigation with most crops on most soil.

Abstract for classification of water for Irrigation purpose

Sr. No.	Year	Good for irrigation	Suitable for irrigation	Suitable for salt tolerant plant	Inadequate data	Total
1.	2014-2015	7	5	1	2	15



Data Abstract for Pune Sub-division for 2014-15

Parameter	Unit	Season								
		Monsoon			Winter			Summer		
		Min	Max	Mean	Min	Max	Mean	Min	Max	Mean
Station : Ambeghar										
DO	mg/L	7.6	8.0	7.8	8.0	8.2	8.1	7.8	8.4	8.1
BOD	mg/L	1.5	4.6	3.05	1.8	4.2	3	2.1	3.4	2.75
COD	mg/L	10.4	19.2	14.8	10.4	18.4	14.4	12.8	20.0	16.4
Total coli forms	MPN/100 ml	13000	240000	126500	1700	54000	27850	11000	24000	17500

Station : Paud										
DO	mg/L	7.4	8.2	7.8	-	-	-	7.0	7.8	7.4
BOD	mg/L	3.2	4.8	4	-	-	-	3.2	4.6	3.9
COD	mg/L	11.2	19.2	15.2	-	-	-	11.2	13.6	12.4
Total colliforms	MPN/100 ml	79000	540000	309500	-	-	-	4900	17000	10950

Station : Khadkawasla										
DO	mg/L	6.8	7.8	7.3	8.0	8.4	8.2	7.4	8.4	7.9
BOD	mg/L	1.2	3.1	2.15	1.3	1.4	1.35	1.2	3.1	2.15
COD	mg/L	8.8	11.2	10	8.0	10.4	9.2	11.2	18.4	14.8
Total colliforms	MPN/100 ml	6800	160000	83400	2700	24000	13350	7900	35000	21450

Station : Panshet										
DO	mg/L	6.8	7.8	7.3	7.6	8.2	7.9	7.4	8.2	7.8
BOD	mg/L	1.1	2.2	1.65	1.2	1.3	1.25	1.0	1.6	1.3
COD	mg/L	8.8	11.2	10	8.8	12.0	10.4	9.6	14.4	12
Total colliforms	MPN/100 ml	1300	54000	27650	1300	13000	7150	1400	1700	1550

Station : Pavana										
DO	mg/L	7.2	8.0	7.6	7.8	8.2	8	7.2	8.0	7.6
BOD	mg/L	1.3	1.5	1.4	1.0	1.6	1.3	1.4	1.6	1.5
COD	mg/L	8.0	10.4	9.2	8.8	11.2	10	12.8	14.4	13.6
Total colliforms	MPN/100 ml	2700	54000	28350	780	4900	2840	2600	7900	5250

Data Abstract for Shirur Sub-division for 2014-15

Parameter	Unit	Season								
		Monsoon			Winter			Summer		
		Min	Max	Mean	Min	Max	Mean	Min	Max	Mean
Station : Ambegaon										
DO	mg/L	8.0	8.4	8.2	7.8	8.2	8	-	-	-
BOD	mg/L	3.4	4.6	4	3.2	4.0	3.6	-	-	-
COD	mg/L	19.2	22.4	20.8	11.2	19.2	15.2	-	-	-
Total colliforms	MPN/100 ml	920	1100	1010	680	1100	890	-	-	-

Station : Chaskaman										
DO	mg/L	7.8	8.2	8	8.0	8.2	8.1	5.8	5.8	5.8
BOD	mg/L	2.2	3.8	3	3.2	3.6	3.4	3.6	3.6	3.6
COD	mg/L	19.2	20.8	20	16.8	22.4	19.6	17.6	17.6	17.6
Total colliforms	MPN/100 ml	17000	160000	88500	7900	24000	15950	7900	7900	7900

Station : Khamgaon										
DO	mg/L	6.4	8.2	7.3	6.0	7.8	6.9	3.4	6.4	4.9
BOD	mg/L	4.8	7.4	6.1	3.4	7.4	5.4	4.8	6.2	5.5
COD	mg/L	18.4	32.8	25.6	12.8	31.2	22	14.4	36.0	25.2
Total colliforms	MPN/100 ml	23000	350000	186500	26000	920000	473000	17000	28000	22500

Station : Rakshewadi										
DO	mg/L	8.2	8.2	8.2	-	-	-	-	-	-
BOD	mg/L	4.8	5.4	5.1	-	-	-	-	-	-
COD	mg/L	22.4	27.2	24.8	-	-	-	-	-	-
Total colliforms	MPN/100 ml	13000	170000	91500	-	-	-	-	-	-

Data Abstract for Shirur Sub-division for 2014-15

Parameter	Unit	Season								
		Monsoon			Winter			Summer		
		Min	Max	Mean	Min	Max	Mean	Min	Max	Mean
Station : Daund										
DO	mg/L	6.8	8.4	7.6	5.8	8.2	7	-	-	-
BOD	mg/L	4.2	6.2	5.2	3.2	6.2	4.7	-	-	-
COD	mg/L	22.4	29.6	26	18.4	29.6	24	-	-	-
Total colliforms	MPN/100 ml	33000	920000	476500	79000	220000	149500	-	-	-

Station : Kashti										
DO	mg/L	8.0	8.0	8.0	-	-	-	-	-	-
BOD	mg/L	4.4	4.4	4.4	-	-	-	-	-	-
COD	mg/L	22.4	22.4	22.4	-	-	-	-	-	-
Total colliforms	MPN/100 ml	130000	130000	130000	-	-	-	-	-	-

Station : Nimgaon Gangurde

Note: - Flow of water is not available at Nimgaon Gangurde station so sample is not collected in this year.

Data Abstract for Solapur Sub-division for 2014-15

Parameter	Unit	Season								
		Monsoon			Winter			Summer		
		Min	Max	Mean	Min	Max	Mean	Min	Max	Mean
Station : Ujjani										
DO	mg/L	6.8	9.8	8.3	7.2	8.0	7.6	7.2	8.4	7.8
BOD	mg/L	6.2	7.2	6.7	4.2	6.4	5.3	4.2	5.6	4.9
COD	mg/L	20.8	28.8	24.8	20.8	32.8	26.8	22.4	34.4	28.4
Total colliforms	MPN/100 ml	1200	28000	14600	11000	170000	90500	920	2000	1460

Station : Narsinhpur

DO	mg/L	8.0	8.0	8	-	-	-	-	-	-
BOD	mg/L	5.2	7.2	6.2	-	-	-	-	-	-
COD	mg/L	16.8	20.8	18.8	-	-	-	-	-	-
Total colliforms	MPN/100 ml	930	1700	1315	-	-	-	-	-	-


Station : Sarati

DO	mg/L	7.6	7.8	7.7	-	-	-	-	-	-
BOD	mg/L	4.8	6.4	5.6	-	-	-	-	-	-
COD	mg/L	19.2	22.4	20.8	-	-	-	-	-	-
Total colliforms	MPN/100 ml	2300	3300	2800	-	-	-	-	-	-

RESULT OBTAINED DURING 2014-15


I. Graphical Representation of Dissolved Oxygen:

1. Dissolved Oxygen for Stations under Pune Sub-Division:




From the above graph, it is being observed that at all stations value of Dissolved Oxygen is within limit.

2. Dissolved Oxygen for Stations under Shirur Sub-Division



From the above graph, it is being observed that at all stations value of Dissolved Oxygen is within limit.


3. Dissolved Oxygen for Stations under Solapur Sub-Division:



From the above graph, it is being observed that at all stations value of Dissolved Oxygen is within limit.


II. Graphical Representation of Biochemical Oxygen Demand:

1. Biochemical Oxygen Demand for Stations under Pune Sub-Division:




From the above graph it can be observe that, at paud station during all the season, the values are exceeding the prescribed limit.

2. Biochemical Oxygen Demand for Stations under Shirur Sub-Division:



It is observed that values of B.O.D. are above the limit at all stations in all season, except Chaskaman.


3. Biochemical Oxygen Demand for Stations under Solapur Sub-Division:



From the above graphical representation, it is observed that at all stations the values of BOD are above tolerance limit in all season.


III. Graphical Representation of Chemical Oxygen Demand:

1. Chemical Oxygen Demand for Stations under Pune Sub-Division:




From the above graph it is observed that the value of COD at Ambeghar and Paud are higher during summer season.

2. Chemical Oxygen Demand for Stations under Shirur Sub-Division :



From the above graph, it is observed that the values of COD at Khamgaon and Daund are higher especially during winter.


3. Chemical Oxygen Demand for Stations under Solapur Sub-Division:



From the above graph, it is observed that the values of COD are higher at Sarati during all the season.


IV. Graphical Representation of Total Coliforms:

1. Total Coliform for Stations under Pune Sub-Division:




From the above graph it is observed that the values of Total Coli form at all location during all the season are higher than the prescribed limit especially much higher at Ambeghar and Paud in monsoon and winter season.

2. Total Coliform for Stations under Shirur Sub-Division:



From the above graph it is observed that the values of Total Coli form at each location during all the season is high than the prescribed limit especially at Khamgon, Kashti and Daund .

3. Total Coliform for Stations under Solapur Sub-Division:



From the above graph it is observed that the values of Total Coli form at Ujjani and Sarati are higher than the prescribed limit.

Chapter V
CONCLUSION

CHAPTER - 5

CONCLUSION

5.1 Conclusion

Observing all the factors it can be concluded that, analysis results from all the locations have shown increase in value of Biological Oxygen Demand and Total Coli form as compare to previous year. The value of Biological Oxygen Demand is very high, even exceeding beyond desired limit is due to the presence of organic matter, which also reduces oxygen content in the water. Water having excess Biological Oxygen Demand is not fit for human activities or consumption.

Biological parameter in all locations contain higher bacterial count is due to the discharge of sewage, drainage waste in to the water sources. Even increase in human activities discharge bacteria of various type in to the water, which increase the number of count in the water.

From the observation at Daund, Khamgaon and Ujjani location most parameters are crossing the desired limit which indicates that at the upstream of this location there are a considerable source of pollution. Hence, it can be concluded that water from all these sources is not suitable for drinking purpose and so it requires treatment before its usage.

5.2 REMEDIAL MESAURES:

If you want to help keep our waters clean, there are many things you can do to help. You can prevent water pollution of nearby rivers and lakes as well as groundwater and drinking water by following some simple guidelines in your everyday life.

- Maintain Your Septic System
- Replace your lawn and high-maintenance plants with native plants.
- Maintain your vehicle.
- Minimize your use of fertilizers, pesticides, and herbicides.

CHAPTER VI
OTHER ACTIVITIES

CHAPTER-6

OTHER ACTIVITIES

6.1 REVENUE GENERATION TO GOVERNMENT OF MAHARASHTRA

During the year 2014-2015 many clients approached the laboratory. The clients availed the facility of the laboratory are as below;

- 1) Lonavala Municipal Corporation
- 2) Central water Commission Pune
- 3) N.D.A. Khadakwasla Pune.
- 4) Gharpure Engineers and Constructions Pvt. Ltd. Pune
- 5) Technogreen Environmental Solutions Pune
- 6) M/S Maanganga Agro Products & Beverages Co. Pune

6.2 REVENUE GENERATED DURING THE PERIOD

Sr. No.	Year	Amount Received
1.	2014-2015	2,55,245

6.3 ISO Certification:

Second surveillance audit of ISO 9001:2008 was successfully completed in 17 October 2014, lab has been continued certification for next 1 years i.e. Up to February 2016.

CHAPTER VII
ANNEXURE

**Annual Report on
Water Quality Monitoring through Water Quality Lab
Level-II, Pune for the Year 2014- 2015**

ANNEXURE

Chapter	Particulars	Page No.
I	List of Clients	43
II	Quality Policy & Certificate towards ISO 9001:2008	44-45
III	Lay Out of Lab Level - II	46
IV	Photographs	47-48
V	Jurisdiction Map of Laboratory	49

List of Client 2014-2015

Sr. No.	Name of Client	Purpose of Analysis
1	Central Water Commission Upper Krishna Division Khadakwasla	Drinking Purpose
2	Jai Maa Associates ,Pune	Drinking Purpose
3	M/S Maanganga Agro Products & Beverages Co. Javir Farm, Gat No. 1042 Rajuri, Dist. Pune	Drinking Purpose
4	First ray Enterprises. Pune	Drinking Purpose
5	Mrs. Bhagyashri S. Madbhavikar, Pune	Study Purpose
6	Gera Landmark Condominium, Pune	Drinking Purpose
7	Lonavala Municipal Council	Domestic Effluent
8	Kakde Aangan, Chinchwad , Pune	Drinking Purpose
9	M/S. Krishnae Infrastructure Pvt. Ltd. Pune.	Drinking Purpose
10	Mr. Prathamesh V. Diwikar ,Pune	Drinking Purpose
11	Mr. Rajendra R. Devkar , Pune	Drinking Purpose
12	Mr. Umesh G. Mane, BVG India Ltd., Pune	Drinking Purpose
13	Mr. Pradeep Vyas, Lohegaon , Pune.	Drinking Purpose
14	Technogreen Environmental Solutions, Pune	Domestic & Industrial Effluent
15	Asst. Garrison Engineer (E/M) Pune	Industrial Effluent
16	Mr. Iqbal Karim Sayyad, Nagpur Chwal, Yerwada , Pune	Drinking Purpose
17	Shantiban Co. Op.Housing Society Ltd. Pune	Drinking Purpose
18	Mr. P. R. More & Mr. R. D. More, Pune	Drinking Purpose
19	Mr. Anil P. Harpale At Post Phursungi, Pune	Drinking Purpose
20	Mr. Bhausahab V. Satav, Pune	Drinking Purpose
21	Mr. Pravin C. Borwankar, Pune	Drinking Purpose
22	Gharpure Engineers & Constructions Pvt. Ltd., Pune.	Domestic Effluent
23	Mass Precision Pvt. Ltd. , Pune	Drinking Purpose

QUALITY POLICY

We at water Quality lab – level 2, Pune are committed to provide water testing services to customers as well as all interested parties as per their needs & expectations to achieve their total satisfaction.

This shall be achieved through

- ◆ Continual improvement in all process
- ◆ By effective implementation of QMS as per the ISO 9001:2008
- ◆ By over all development in all employee's

DATE: 01st August, 2009

**Er. A. S. Mehtre
Executive Engineer
Hydrology Project Division, Pune**

Management of WQPL ensure that the Quality Policy:

- a) Is appropriate to the purpose of the organization,
- b) Includes a commitment to comply with requirements and continually improve the effectiveness of the Quality Management System,
- c) Provides a framework for establishing and reviewing Quality Objectives,
- d) Is communicated through display and understood within the organization, and
- e) Is reviewed in each MRM for continuing suitability.

Indian Register Quality Systems

(A Department of Indian Register of Shipping)

52A, Adi Shankaracharya Marg, Opp. Powai Lake, Powai, Mumbai - 400 072, India.

ACCREDITED BY NABCB



© INDIAN REGISTER
OF SHIPPING 1993



Member
of IAF MLA
for QMS

NABCB
QM 006

Certificate Of Approval

This is to certify that the Quality Management System of

Water Quality Laboratory Level II

Bungalow No. 2, Near Yerwada Post Office, Yerwada,
Pune - 411 006, Maharashtra, India

*has been found to conform
to the requirements of the Standard:*

ISO 9001 : 2008

with respect to the following scope:

**Water Testing and River Water Monitoring
for Water Quality**

This Approval is subject to continued satisfactory maintenance of the Quality Management System of the Organization to the above Standard, which will be monitored by IRQS

Certificate No.: *IRQS/1210635* granted on: 12th December 2012

Initial Approval Date: 9th February 2010

Current Certification Effective Date: 9th February 2013

Current Certificate Expiry: 8th February 2016


C. Sriramamurthy

Chief Surveyor & Senior Vice President

The use of the Accreditation Mark indicates accreditation with respect to activities covered by the certificate with accreditation no. QM 006

Conditions overleaf

PHOTOGRAPHS

**Visit by S. K. Kshirsagar, Sectional Engineer,
Hydrology Project Circle, Nashik on 30/12/2014**



**Site Visit to Route II (Daund, Khamgaon Kashti &
Rakshewadi) on 18/12/2014**



Visit by Executive Engineer, Hydrology Project Sub Division Pune



Visit by Executive Engineer, Hydrology Project Sub Division Pune



Jurisdiction Map of Laboratory

